



UTN:C025-282335

中国船级社
China Classification Society格式
Form: CQA(AS)
证书编号:
No. SG25CSA00006服务供方认可证书
APPROVAL CERTIFICATE OF SERVICE SUPPLIER
FULL TERM

供方名称

NAME OF SUPPLIER:

Global Marine Safety (Singapore) Pte. Ltd.

供方地址

ADDRESS OF SUPPLIER:

16 Penjuru Close, Singapore 608612

兹证明上述服务供方的下列服务项目业经本社按照有关规定和程序审核，确认满足本社《钢质海船入级规范》和《供方认可及人员资格管理指南》的相关规定。

- 从事灭火设备和系统检查和维护的供方;
- 从事救生艇/救助艇、艇/筏降落设备、艇/筏释放装置维护和检修的供方;

THIS IS TO CERTIFY that the following services of above service supplier have been audited by this society in accordance with the relevant provision and procedure, and confirmed compliance with the relevant requirements of this Society "Rules for Classification of Sea-going Steel Ships" and "Guidelines for Service Supplier Approval and Personnel Qualification Management".

- Suppliers engaged in inspections and maintenance of fire extinguishing equipment and systems;
- Suppliers engaged in the servicing and maintenance of lifeboats/rescue boats, launching appliances for boats/rafts, release mechanisms for boats/rafts;

认可证书附页内容是本证书不可分割的组成部分；上述机构由本社授予认可证书，但应继续符合有关要求。

The Supplement attached below is not divisible from this Certificate. This Certificate is issued to the above-mentioned Supplier subject to continued compliance with the relevant requirements.

本证书有效期至

This Certificate will remain in force until May 17, 2028

签发地点:

Issued at: Singapore

签发时间:

Issued on: May 21, 2025

(Chen Zili)

Surveyor to China Classification Society

注 意 事 项 NOTICE

本社对服务机构及服务项目的认可，仅证明该机构具有为保持本社船级船舶/海上设施提供相关服务的能力，不代替国家行政许可或认可。同时，本社不承担保证被认可机构提供信息正确的责任，以及有关安全生产的责任。经认可的服务机构应持续保持符合有关规定，并应特别注意以下情况将导致证书的暂停或取消：

- 1、公司质量体系的变更涉及到供方认可证书而未及时书面通知本社；
- & 验船师发现的供方认可服务操作系统中的缺陷或遗留项目，机构未采取适当纠正措施；
- '、检测人员从事了与其资格证书不相适应的检测工作；
- 4、服务未能正确进行或其结果未被正确报告；
- 5、对造成船舶、海上设施及相关设备安全事故等服务投诉、经核实属供方严重失职的；
- 6、本社发现了出租、转借机构认可证书或类似情况；
- 7、供方违背道德标准进行不适当的服务；
- 8、如果供方提供的虚假服务或出具虚假报告属故意行为并业经核实；
- 9、当确认存在其他蓄意不正当行为时；

The approval of the suppliers and its services only proves that it has the capability of relevant servicing and maintaining for ships or mobile offshore units classed with this Society, and can by no mean replace the permission or approval granted by any national Administration. In addition, this Society does not warrant the correctness of any information provided by the certified suppliers, nor assume any liability for its production safety. The certified suppliers shall retain compliance with the relevant provision, and pay specific attention to the following circumstances which would result in the suspension, withdrawal or cancel of certificate:

1. Where alterations have been made to the Company's Quality System relevant for the service supplier certificates, without written notification to the Society.
2. Where a Surveyor finds deficiencies or outstanding recommendations in the approval service operation system of the supplier and appropriate corrective action is not taken.
3. When inspection operator has carried out inspection work beyond his approved qualification.
4. Where the service was improperly carried out or the results were improperly reported.
5. Where the service complaint, which has caused a safety accident of a ship or an offshore installation and relevant equipment etc., is verified as serious negligence of the supplier.
6. The approval certificate of the supplier rented or lent to other companies or analogue is found by the Society.
7. The supplier provides any improper service in violation of ethics.
8. If any false service provided or any false report issued by the supplier is identified and verified as intentional act.
9. Any other intentional undue act has been confirmed.



服务供方认可证书附页

SUPPLEMENT TO APPROVAL CERTIFICATE OF SERVICE SUPPLIER

从事救生艇/救助艇、艇/筏降落设备、艇/筏释放装置维护和检修的供方 LS UTN:C025-399898



1、服务范围 Scope of service:

救生艇（包括自由降落式救生艇）、所有救助艇（包括充气式救助艇和快速救助艇）；
救生艇（包括自由降落式救生艇的主要和次要降落设备）、救助艇、快速救助艇、吊架式救生筏的降落装置和承载/非承载释放装置

Lifeboats (including free-fall lifeboats), all rescue boats (including inflatable rescueboats and fast rescue boats) ;

Launching appliances and on-load/off-load release gear for lifeboats (including primary and secondary means of launching appliances for free-fall lifeboats), rescue boats, fast rescue boats and davit-launched liferafts

2、限制条件/备注 Restriction term/ Note:

▼ 限制条件 Restriction term:

1. 本证书的有效性同样受检测人员持有有效的资格证书和/或培训证书，以及制造厂商对检测人员和/或服务供方提供每个型号设备的有效技术支持的限制（适用时）。

The validity of the Approval Cert. also subject to valid qualification and /or training certificates held by the testing personnel, as well as valid technical support for each type of equipment to testing personnel and/or service supplier from manufacturers (where applicable).

▼ 备注 Note:

Nil

3、经认可的供方及其分支机构服务范围 Scope of service for supplier and its branches approved

Nil

4、人员清单 List of qualified persons

序号 No.	姓名 Name	岗位 Post	身份证号码 ID No.
1	Abdul Hamid Bin Md Salleh Abdul Hamid Bin Md Salleh	监督员Supervisor	S70****3C
2	Duraisingam A/L Subramaniam Duraisingam A/L Subramaniam	监督员Supervisor	G70****20K
3	Rahimee Bin Norsen Rahimee Bin Norsen	监督员Supervisor	S71***76J
4	Md Radzi Bin Md Fuad Md Radzi Bin Md Fuad	监督员Supervisor	S86***70G
5	Rahman Bin Suri Rahman Bin	监督员Supervisor	S68***96A

服务供方认可证书附页
SUPPLEMENT TO APPROVAL CERTIFICATE OF SERVICE SUPPLIER
从事救生艇/救助艇、艇/筏降落设备、艇/筏释放装置维护和检修的供方 LS

	Suri		
6	Sarvesvaran A/L Munukan Sarvesvaran A/L Munukan	操作员Operator	G80***41M
7	Palani Velu A/L Balakrishnan Palani Velu A/L Balakrishnan	操作员Operator	G77***63M

5、提供技术支持的制造厂商清单 List of manufacturers provided technical support document

序号 No.	制造厂商名称 Name of manufacturer	型号/规格 Type/specification
1	Jiangyinshi Beihai LSA Co., Ltd	Boat: Series of SCJYB Hook: Series of JYBHK Davit: Series of SAC, SA, FA, LB, LA, BHGH, PD, FRH, EHRD, SRH, BHGP, RB, HB, HDC, ESAD
2	Oriental Inspection & Service Co., Ltd	Hinged Gravity Type Davit & Winch: Davit: HGD Series, HGK Series, SHS Series, RTD Series, DHA Series, DMA Series; Winch: BWE Series, SWE Series, WL Series Free Fall Davit & Winch: FD Series, WL Series Rescue / Liferaft Davit & Winch: RD Series, RDW Series.
3	Wuxi Haihong Boat Making Co., Ltd	Totally Enclosed Lifeboat/Rescue Boat Series: HH70C/HH70T (QFP7.0/QFN7.0), HH85CS/HH85TS (QFP8.5/QFN8.5), HH65CS/HH65TS (QFP6.5/QFN6.5), HH75CS/HH75TS (QFP7.5/QFN7.5), HH80CS/HH80TS (QFP8.0/QFN8.0), HH65C/HH65T (QFP (H) 6.5/QFN (H) 6.5), HH50C/HH50T, HH53C/HH53T (QFP (H) 5.3), HH75C (QFP (H) 7.5, HH85C/HH85T, HH57C/HH57T Freefall Lifeboat Series: HH59FC/HH59FF, HH76FC/HH76FF Rescue Boat Series: GJ4.5B/GJ4.5B1 High Speed Rescue Boat Series: GJ618A/GJ618B Release Gear Series: HH76/HH43/HH30/HH20
4	Jiangsu Jiaoyan Marine Equipment Co. Ltd	Free Fall Lifeboat: JY-FN-4.9/JY-FF-4.9/JY-FN-5.8/JY-FF-5.8, JYM- FN-6.65/JYM-FF-6.65/JY-FN-6.8/JY-FF-6.8, JY-FN-7.5/JY-FF-7.5/JY- FN-8.5/JY-FF-8.5 Rescue Boat: GJ4.2/GJ4.25/GJ4.5/GJ5.0/GJ5.25/GJ6.0B-1/GJ6.10, GJ7.50/GJ8.0Q-2/GJ8.5Q-2 Totally Enclosed Lifeboat: JY-QFP/N-5.0/JY-QFP/N- 5.25/GTR57JYC/F/JY-QFP/N-6.0A, JY-QFP/N-6.50/JY-QFP/N-7.0/JY- QFP/N-7.5/JY-QFP/N-7.50A, JY-QFP/N-8.00/JY-QFP/N-8.50/JY-QFP/N- 8.50X, JY-QFP/N-9.35/JY-QFP/N-10.90A Hook: JX and JXN Series Gravity Luffing Arm Type Davit: JYL52/JYL55/JYL65/JYL85/JYL105/JYL135 Launching Appliance: JYF55/JYF75/JYF90 Platform Davit: JYP65/JYP85/JYP105/JYP135 Single Arm Davit: JYR21/JYRC21/JYR14/JYRH14/JYRH21 Electric Boat Winch: JYW42/JYW50/JYW70/JYW100/JYWP70/JYWP100/JYWP135
5	GEPA - Fiberglass	Freefall Lifeboats: G-FFF1 & G-FFF1-FP, G-FFF2 & G-FFF2-FP, G- FFF3 & G-FFF3-FP

服务供方认可证书附页
SUPPLEMENT TO APPROVAL CERTIFICATE OF SERVICE SUPPLIER
从事救生艇/救助艇、艇/筏降落设备、艇/筏释放装置维护和检修的供方 LS

	Industry & Trade Co. Inc	Totally Enclosed Lifeboats: G-F6K & G-F6K-FP, G-F4K & G-F4K-FP, G-F3K & G-F3K-FP Partially Enclosed Lifeboats: G-F6YK, G-F4YK, G-F3YK & G-F3YK-T Open Type Lifeboats: G-F1, G-F2, G-F3, G-F4, G-F5, G-F6, G-F1-UB, G-F2-UB, G-F3-UB, G-F4-UB, G-F5-UB, G-F6-UB, G-K1, G-K2 Service & Utility Boats: G-GSB1, G-GSB2, G-GSB3, G-GSB4 Rescue Boats & Hook Release Devices: G-RB1, G-RB1-DE, G-RB3, G-FRB1-0, G-FRB2-0
6	Wuxi Xingsheng Gear Case Factory	Release Hooks (15KN Rescue Boat Release Hook, 25KN Liferaft Automatic Release Hook and 35 KN Automatic Release Hook for Davit Launched Liferaft and Rescue Boat)
7	Zhenjiang Hengxin Ship Equipment Co., Ltd	Lifeboat Series: BCC, BCF, BCFC, BCFF Rescue Boat Series: GJ, FRH, RH Release Mechanism Series : HK Davit Series : FH, SA, HDC, LFR, LR, HE, PD, SRH, LB, KN Winch Series : DZB, D, DW
8	Jiangyin Wolong F. R. P Boat Co., Ltd	Totally Enclosed Lifeboat: JY50C/F, JY50CA/FA, JY57C/F, JY60C/E/F, JY65C/F, JY70C/F, JY80C/F, JY80C A/FA, JY85C/F, JY85CA/FA, JY85CB/FB, JY93C/F, JY102/F, JY117C/F Free Fall Lifeboat: JY49CF/FF, JY59CF/FF, JY67CF/FF, JY85CF/FF, JY109CF/FF Rescue Boat: JY40KR, JY42KR, JY45DR, JY45KR, JY50R, JY54KR, JY60KR, JY65KR, JY75KR, JY85KR Partially Enclosed Lifeboat: JY70P, JY80P, JY85P Open Type Lifeboat: JY45KR, JY55K, JY65K, JY70K, JY75K, JY80K, JY85K Gravity Luffing Arm Type Davit: JY-LE14, JY-LE65, JY-LE85, JY-LE100, JY-LE150 Launching Appliance of Free-fall Lifeboat: JY-FH55, JY-FH70, JY-FH90, JY-FH155 Platform Davit: JY-PL70, JY-PL110, JY-PL150, JY-PL185, JY-PL215 Single Arm Boat/ Raft Davit: JY-SAF21, JY-SAF23, JY-SA23S, JY-SA37S, JY-SR33S, JY-SAF33, JY-HSR23/16, JY-HSR33/23, JY-FCR2066, JY-FCR2305 Rescue Boat davit: JY-PLR21, JY-LFR27, JY-LRHE30, JY-LRHE70, JY-LFR35, JY-SAP14, JY-SAP30 gravity overhead rolling type davit: JY-HE70, JY-HE95, JY-HE120, JY-HE155 Telescopic Type Boom Davit: JY-TBD 120, JY-TBD 215, JY-TBD35 Hydraulic Luffing Arm Type Davit: JY-GYE70, JY-GYE120, JY-GYE185 Connecting Rod Type Davit: JY-GL70, JY-GL95, JY-GL120. JY-GL185 Winch: JY-SAP14, JY-D23Z, JY-D23/16Z, JY-SAFC23. JY-D33/23Z. JY-SAF33. JY-LRHE30. JY-PLR21, JY-LFR27. JY-LRHE70, JY-D50S/Z, JY-D70S/Z, JY-D85S/Z, JY-D110S/Z, JY-DW125S, JY-DP110S/Z, JY-DP150/Z, JY-DP185, JY-DP215 Release Mechanism of Lifeboat/ Rescue Boat: HK40, HK40A, HK50B, HK50A, FHK70, HK70, HK115, LB60MR, LB80MR, LB120MR, FHK80, FHK90, LB35MRS, LB70MRS

服务供方认可证书附页
SUPPLEMENT TO APPROVAL CERTIFICATE OF SERVICE SUPPLIER
从事救生艇/救助艇、艇/筏降落设备、艇/筏释放装置维护和检修的供方 LS

完成附加审核时的签证栏 ENDORSEMENT WHERE THE ADDITIONAL AUDIT HAS BEEN COMPLETED

日期 Date _____

本附页签发基于工控号
The Supplement issued based on Job. No _____

中国船级社
CHINA CLASSIFICATION SOCIETY